

**Revised and Reissued by Addendum No.2**

**Interior Finishes**

- .1 Basis-of-Design: Materials and colours listed form the Basis-of-Design materials for this project.
- .2 Materials other than named products Basis-of-Design materials may be acceptable to the Consultant; submit Product Options information no later than seven (7) days prior to bid closing date and as follows:
  - .1 Proposed alternates shall match colour range, texture and performance characteristics of named products, and shall not require a change to colour board for Project.
  - .2 Proposed alternates found acceptable by Consultant will be listed in an Addendum.
  - .3 The Consultant is not obliged to accept any materials presented for their review and does not need to provide reasons for rejection of proposed alternates.

Abbreviations and Finishes			
	Description and/or Location	Basis of Design	Spec Section #
Flooring			
<b>RSF-1</b>	Resilient Sheet Flooring Wet Labs - Field	Manufacturer: Tarkett Series: iQ Optima Pattern and Color: 946 Soft Light Grey Additional information: 2.0mm Base: Coved 100mm High	09 65 00
<b>RSF-2</b>	Resilient Sheet Flooring Wet Labs- Winter Accent Blue	Manufacturer: Tarkett Series: iQ Optima Pattern and Color: 865 Dark Blue Additional information: 2.0mm Base: Coved 100mm High	09 65 00
<b>RSF-3</b>	Resilient Sheet Flooring Wet Labs- Winter Accent Blue	Manufacturer: Tarkett Series: iQ Optima Pattern and Color: 983 Soft Blue Additional information: 2.0mm Base: Coved 100mm High	09 65 00

Revised and Reissued by Addendum No.2

Abbreviations and Finishes			
	Description and/or Location	Basis of Design	Spec Section #
<b>RSF-4</b>	Resilient Sheet Flooring-Static Resistant	Manufacturer: Tarkett Series: IQ Granite SD Style: 950 Black Grey Additional information: 2.0mm Base: RB-1	09 65 00
<b>RSF-5</b>	Resilient Sheet Flooring Wet Labs – Fall Accent Green	Manufacturer: Tarkett Series: iQ Optima Pattern and Color: 987 Soft Green Additional information: 2.0mm Base: Coved 100mm High	09 65 00
<b>RSF-6</b>	Resilient Sheet Flooring Wet Labs – Fall Accent Green	Manufacturer: Tarkett Series: iQ Optima Pattern and Color: 838 Olive Green Additional information: 2.0mm Base: Coved 100mm High	09 65 00
<b>RSF-7</b>	Resilient Sheet Flooring Location: Corridors, lounge/event space, & dry labs - Field	Manufacturer: Tarkett Series: iQ Optima Pattern and Color: 864 Light Grey Additional Information: 2.0mm Base: Coved 100mm High	09 65 00
<b>RSF-8</b>	Resilient Sheet Flooring Location: Corridors, lounge/event space, & dry labs	Manufacturer: Tarkett Series: iQ Optima Pattern and Color: 853 Medium Grey Additional Information: 2.0mm Base: Coved 100mm High	09 65 00

Revised and Reissued by Addendum No.2

Abbreviations and Finishes			
	Description and/or Location	Basis of Design	Spec Section #
<b>RSF-9</b>	Resilient Sheet Flooring  Location: Corridors, lounge/event space, & dry labs	Manufacturer: Tarkett Series: iQ Optima Pattern and Color: 866 Dark Grey Additional Information: 2.0mm Base: Coved 100mm High	09 65 00
<b>RSF-10</b>	Resilient Sheet Flooring  Location: Ceremonial Room	Manufacturer: Tarkett Series: iQ Optima Pattern and Color: 845 Black Additional Information: 2.0mm Base: Coved 100mm High	09 65 00
<b>RSF-11</b>	Resilient Sheet Flooring  Location: Ceremonial Room	Manufacturer: Tarkett Series: iQ Optima Pattern and Color: 871 Cool White Additional Information: 2.0mm Base: Coved 100mm High	09 65 00
<b>RSF-12</b>	Resilient Sheet Flooring  Location: Ceremonial Room	Manufacturer: Tarkett Series: iQ Optima Pattern and Color: 877 Red Additional Information: 2.0mm Base: Coved 100mm High	09 65 00
<b>RSF-13</b>	Resilient Sheet Flooring  Location: Ceremonial Room	Manufacturer: Tarkett Series: iQ Optima Pattern and Color: 834 Yellow Additional Information: 2.0mm Base: Coved 100mm High	09 65 00

Revised and Reissued by Addendum No.2

Abbreviations and Finishes			
	Description and/or Location	Basis of Design	Spec Section #
<b>RSF-14</b>	Stair Covering & Stair Nosing	Manufacturer: Tarkett Series: Angle Fit Rubber Stair Tread with Integrated Riser Pattern and Color: 460 Cotton Finish: Hammered Profile: VIHT Safe-T-Rib Square Nose, Co-Extruded Vinyl Insert 47 Brown Rubber Stringer material to match RB-1	09 65 10
<b>RSF-15</b>	Stair Tactile Surface	Manufacturer: Tarkett Series: Tactile Warning Surface - Rubber Pattern and Color: 264 Grounded Finish: Tactile Warning	09 65 10
<b>WM-1</b>	Walk Off Mat	Manufacturer: Milliken Series: Obex Pattern: CutX Contour Color: Dark Grey CNX119 Additional Information: 4.72mm Thick Base: RB-1	12 48 13
<b>WM-2</b>	Walk Off Mat	Manufacturer: Milliken Series: Obex Pattern: CutX Contour Color: Grey CNC27 Additional Information: 4.72mm Thick Base: Covered <b>Resilient</b>	12 48 13
<b>EXP</b>	N/A	Exposed Concrete	

**Revised and Reissued by Addendum No.2**

<b>Abbreviations and Finishes</b>			
	<b>Description and/or Location</b>	<b>Basis of Design</b>	<b>Spec Section #</b>
<b>Base</b>			
<b>RB-1</b>	Rubber Base	Manufacturer: Tarkett Series: Baseworks Thermoset Rubber Color: 63 Burnt Umber B Size: 1/8" thick. x 4" high, with toe	09 65 00
<b>Transitions</b>			
<b>TS-2</b>	Resilient to Polished Concrete	Manufacturer: Johnsonite Profile: Slim Line Transitions Product: SLT-63-J Code: Burnt Umber 63	09 65 00
<b>TS-3</b>	Walk off to Resilient	Manufacturer: Johnsonite Profile: Reducer Product: CRS-63-D Color: Burnt Umber 63	09 65 00
<b>Paint</b>			
<b>P-1</b>	Paint White Field – Walls and Ceilings	Manufacturer: Benjamin Moore Color #: OC-21 Color Name: Winter White Wall finish: Gloss Level 3 for walls and Gloss Level 1 for ceilings	09 91 00
<b>P-2</b>	Mid Grey	Manufacturer: Sherwin Williams Color #: SW 9163 (236-C4) Color Name: Tin Lizzie Wall finish: Gloss Level 3	09 91 00
<b>P-3</b>	Black	Manufacturer: Sherwin Williams Color #: SW 7069 (251-C7) Color Name: Iron Ore Wall finish: Gloss Level 3	09 91 00

Revised and Reissued by Addendum No.2

Abbreviations and Finishes			
	Description and/or Location	Basis of Design	Spec Section #
<b>P-4</b>	Spring Light Blue	Manufacturer: Sherwood Williams Color #: SW 6239 (224-C1) Color Name: Upward Wall finish: Gloss Level 3	09 91 00
<b>P-5</b>	Spring Dark Blue	Manufacturer: Sherwin Williams Color #: SW 6242 (224-C5) Color Name: Bracing Blue Wall finish: Gloss Level 3	09 91 00
<b>P-6</b>	Summer Light Blue	Manufacturer: Sherwin Williams Color #: SW 9054 (173-C1) Color Name: Little Boy Blu Wall finish: Gloss Level 3	09 91 00
<b>P-7</b>	Summer Dark Blue	Manufacturer: Sherwin Williams Color #: SW 9058 (173-C5) Color Name: Secret Cove Wall finish: Gloss Level 3	09 91 00
<b>P-8</b>	Fall Light Green	Manufacturer: Sherwin Williams Color #: SW 6190 (214-C1) Color Name: Filmy Green Wall finish: Gloss Level 3	09 91 00
<b>P-9</b>	Fall Dark Green	Manufacturer: Sherwin Williams Color #: SW 9129 (214-C4) Color Name: Jade Dragon Wall finish: Gloss Level 3	09 91 00
<b>P-10</b>	Winter Light Blue	Manufacturer: Sherwin Williams Color #: SW 6225 (220-C1) Color Name: Sleepy Blue Wall finish: Gloss Level 3	09 91 00

**Revised and Reissued by Addendum No.2**

<b>Abbreviations and Finishes</b>			
	<b>Description and/or Location</b>	<b>Basis of Design</b>	<b>Spec Section #</b>
<b>P-11</b>	Winter Dark Blue	Manufacturer: Sherwin Williams Color #: SW 6228 (220-C5) Color Name: Refuge Wall finish: Gloss Level 3	09 91 00
<b>Ceilings</b>			
<b>ACT-1</b>	Acoustic Ceiling Tile Dry Lab and Classrooms High NRC .85/ CAC 35	Manufacturer: Armstrong Type: Ultima High NRC Type Number: 2083 Size: 610mm x 1220mm x 25mm plank Grid: Square Lay-In 15/16 in Suspension system: Prelude XL 15/16" Exposed Tee	09 51 00
<b>ACT-2</b>	Acoustic Ceiling Tile Wet Labs - Wipeable NRC .85/ 35 CAC	Manufacturer: CGC Type: Mars Healthcare High-NRC Acoustical Panel Type Number: 88256 Size: 610mm x 1220mm x 22mm plank Grid: Square Edge Suspension system: Donn Brand AX 15/16" Acoustical suspension System (Flat White 050) Accessories: Hold Down Clip L15/L15CE	09 51 00

Revised and Reissued by Addendum No.2

Abbreviations and Finishes			
	Description and/or Location	Basis of Design	Spec Section #
<b>ACT-3</b>	Acoustic Ceiling Tile Wood Feature – Classrooms High NRC .60	Manufacturer: Armstrong Type: Woodworks Linear Veneered Planks Type Number: 6440W1 Size: 2438mm x 95mm x 95mm with 19mm reveal Colour: Quartered Walnut Bioacoustic infill panel-black Suspension system: Prelude XL 15/16" Exposed Tee; Heavy Duty Trim: Axiom Vector Curved Perimeter Trim AX6VECUR (for clouds) Trim: Curved wall molding/column ring AXM34CURBL (for trim @ gwb)	09 51 26
<b>ACP-1</b>	Acoustic Ceiling Panels Location: Lounge/Event Space 1.38 Sabins/SF	Manufacturer: Armstrong Type: Soundscape Blades Type Number: 3920 Size: 190mm x 1168mm x 50mm Colour: White Suspension system: Individual Suspension using hanging kit 6655	09 52 00
<b>ACP-2</b>	Acoustic Ceiling Panels Location: Lounge/Event Space 1.38 Sabins/SF	Manufacturer: Armstrong Type: Soundscape Blades Type Number: 3920 Size: 190mm x 1168mm x 50mm Colour: Black Suspension system: Individual Suspension using hanging kit 6655	09 52 00



**Revised and Reissued by Addendum No.2**

<b>Abbreviations and Finishes</b>			
	<b>Description and/or Location</b>	<b>Basis of Design</b>	<b>Spec Section #</b>
<b>ACP-3</b>	Acoustic Ceiling Panels Location: Lounge/Event Space 1.38 Sabins/SF	Manufacturer: Armstrong Type: Soundscape Blades Type Number: 3920 Size: 190mm x 1168mm x 50mm Colour: Custom Red Suspension system: Individual Suspension using hanging kit 6655	09 52 00
<b>ACP-4</b>	Acoustic Ceiling Panels Location: Lounge/Event Space 1.38 Sabins/SF	Manufacturer: Armstrong Type: Soundscape Blades Type Number: 3920 Size: 190mm x 1168mm x 50mm Colour: Custom Yellow Suspension system: Individual Suspension using hanging kit 6655	09 52 00
<b>ACP-5</b>	Acoustic Ceiling Panels Location: Lecture Hall .75 NRC	Manufacturer: Acoufelt Type: Curve ½" Size: 254mm x 1220mm x 12mm Colour: Grey Suspension system: Cable to Deck	09 52 00
<b>ACP-6</b>	Acoustic Ceiling Panels Location: Corridors .75 NRC	Manufacturer: Turf Type: Freedom Ceiling Baffle Size: Depth 190mm Thickness 50mm Colour: 01 Cream Suspension system: Cable to Deck	09 52 00
<b>Doors + Frames</b>			
<b>P-2</b>	Metal Doors	Manufacturer: Sherwin Williams Color #: SW 9163 (236-C4) Color Name: Tin Lizzie Finish: Gloss Level 5	09 91 00

Revised and Reissued by Addendum No.2

Abbreviations and Finishes			
	Description and/or Location	Basis of Design	Spec Section #
<b>P-3</b>	All Frames	Manufacturer: Sherwin Williams Color #: SW 7069 (251-C7) Color Name: Iron Ore finish: Gloss Level 5	09 91 00
<b>PL-1</b>	Wood Doors	Manufacturer: Wilsonart Basic Color #: 7938-38 335 Pattern and Color Name: New Age Oak Finish: 38 Fine Velvet Finish	08 14 00
Plastic Laminate			
<b>PL-1</b>	Plastic Laminate - Interior, Exterior and Door Cabinets	Manufacturer: Wilsonart Basic Color #: 7938-38 335 Pattern and Color Name: New Age Oak Finish: 38 Fine Velvet Finish	06 40 00 08 14 00
<b>PL-2</b>	Plastic Laminate – Interior Cabinets	Manufacturer: Wilsonart Basic Color #: D354 335 Pattern and Color Name: Designer White Finish: 60 Matte Finish	06 40 00
<b>PL-3</b>	Plastic Laminate – Reception desk	Manufacturer: Wilsonart Traceless Color #: 15505 Pattern and Color Name: Black Velvet Finish: 15505	06 40 00
Graphic Wall Vinyl			

**Revised and Reissued by Addendum No.2**

<b>Abbreviations and Finishes</b>			
	<b>Description and/or Location</b>	<b>Basis of Design</b>	<b>Spec Section #</b>
<b>GVF-1</b>	Graphic Wall Vinyl  Location: North wall of admin desk	Manufacturer: 3M  Series: Scotchcal Graphic Film 3690-10  Pattern and Color: Digital Print- Black and White Mountains  Image to be supplied by consultant	09 72 00
<b>GVF-2</b>	Graphic Wall Vinyl  Location: Classroom Front Wall	Manufacturer: 3M  Series: Scotchcal Graphic Film 3690-10  Pattern and Color: Digital Print Welcome Graphic  Image to be supplied by consultant	09 72 00
<b>GVF-3</b>	Graphic Wall Vinyl  Location: Alcove across from Research and Multi use Lab	Manufacturer: 3M  Series: Scotchcal Graphic Film 3690-10  Pattern and Color: Digital Print - Triangles  Image to be supplied by consultant	09 72 00
<b>GVF-4</b>	Graphic Wall Vinyl  Location: Printing area	Manufacturer: 3M  Series: Scotchcal Graphic Film 3690-10  Pattern and Color: Digital Print- Black and White Mountains  Image to be supplied by consultant	09 72 00
Wallcovering			
<b>WC-1</b>	Wall Covering  Sharing Knowledge Space	Manufacturer: Maharam  Series: Showers by Alexander Girard  Pattern and Color: 001 Emerald Light and Turquoise	09 72 00

Revised and Reissued by Addendum No.2

Abbreviations and Finishes			
	Description and/or Location	Basis of Design	Spec Section #
Solid Surface			
<b>SF-1</b>	Solid Surface Composite Location: Countertops	Manufacturer: Corian Pattern and Color: Linen Finish: Semi Gloss Thickness: 12mm	06 61 16
<b>SF-2</b>	Solid Surface Composite Location: Washroom Sink	Manufacturer: Wilsonart Pattern and Color: Avalanche Mélange Finish: Semi Gloss Thickness: 12mm	06 61 16
<b>SF-3</b>	Solid Surface Composite Location: Window Sills	Manufacturer Corian Pattern and Color: Deep Storm Finish: Semi Gloss Thickness: 12mm	06 61 16
Wall Tile			
<b>WT-1</b>	Porcelain Tile Location: Washroom Field and Stall Walls	Manufacturer: Olympia Tile Series: Uptown Series Pattern and Color: Sugar Hill Size: 305mm x 610mm Finish: Semi Polished Thickness: 10mm Trim Edge: Jolly Schluter at all exposed edges and outside corners. Finish: brushed stainless steel Grout: To match adjacent tile	09 30 00

Revised and Reissued by Addendum No.2

Abbreviations and Finishes			
	Description and/or Location	Basis of Design	Spec Section #
WT-2	Porcelain Tile Location: Stall back wall and Sink wall	<p>Manufacturer: Stone Tile</p> <p>Series: Dust</p> <p>Patterns: Soft, Duna Soft, Line &amp; Chevron (Schema 39)</p> <p>Colour: Ink</p> <p>Finish: Soft</p> <p>Size: 50mm x 205mm</p> <p>Thickness: 9.5mm &amp; 14mm</p> <p>Trim Edge: Jolly Schluter at all exposed edges and outside corners.</p> <p>Finish: brushed stainless steel</p> <p>Grout: To match adjacent tile</p>	09 30 00
WT-3	Porcelain Tile Location: Stall back wall and Sink wall	<p>Manufacturer: Stone Tile</p> <p>Series: Dust</p> <p>Patterns: Soft, Duna Soft, Line &amp; Chevron (Schema 39)</p> <p>Colour: Ink</p> <p>Finish: Soft</p> <p>Size: 50mm x 205mm</p> <p>Thickness: 9.5mm &amp; 14mm</p> <p>Trim Edge: Jolly Schluter at all exposed edges and outside corners.</p> <p>Finish: brushed stainless steel</p> <p>Grout: To match adjacent tile</p>	09 30 00

Revised and Reissued by Addendum No.2

Abbreviations and Finishes			
	Description and/or Location	Basis of Design	Spec Section #
Glazing Film			
<b>GF-1-3</b>	Window Film - Decorative  Location: Sidelights and BL Interior Glazing	Manufacturer: 3M Series: TBD Opacity: 16% Light Reflectance, 63% Light Transmittance Surface Finish: Matte Pattern and Color: TBD Image to be supplied by consultant Location as noted on drawings.	08 87 00
Wall Protection and Wall Panels			
<b>FRP-1</b>	Fiber Reinforced Plastic  Location: Janitor Room – Mop Sink Surround	Manufacturer: Panolam Pattern and Color: White Thickness: .090” Height: 1370mm AFF	10 26 23
<b>WP-1</b>	Thermoplastic Sheet Wall Protection  Location: Back of House	Manufacturer: Acrovyn Color #: 949 Color Name: White Finish: Suede Texture Height to 1500mm AFF	10 26 23
<b>WWP-1</b>	Wall mounted wood planks NRC:	Manufacturer: Armstrong Type: Woodworks Linear Veneered Planks Type Number: Custom pattern Size: 2438mm x 95mm x 95mm with 19mm reveal Colour: Quartered Walnut	09 51 26

Revised and Reissued by Addendum No.2

Abbreviations and Finishes			
	Description and/or Location	Basis of Design	Spec Section #
<b>WWP-2</b>	Wall mounted wood planks NRC: .60	Manufacturer: Odyssey Wallcovering Type: Acoustic Woodwerx - Online Size: 96" x 12.8" panel Colour: White Oak Matching moulding at all outer corners.	09 51 26
<b>AWP-1</b>	Acoustic Wall Panel NRC: .65	Manufacturer: Hush Acoustics Type: Shaped Wall Tile – Diamond Size: 300mm x 520mm panels Thickness: 9mm Edge: Straight Colour: Vanilla <b>Note: cut to suit patterns, see interior elevations</b>	
Millwork			
<b>WD-1</b>	Wood Slats	Wood Species: White Oak Product: Solid Lumber Dimensions: 50mm x 12mm Grade: II (pieces shall be well-matched for colour and grain) Stain: To match WWP-2 Finish: Sanded smooth, sealed to maintain colour, and finished with a water-based clear coat: Sansin water-based clear top coat. Note: Millworker to provide finish sample to designer prior to fabrication.	06 40 00

Revised and Reissued by Addendum No.2

Abbreviations and Finishes			
	Description and/or Location	Basis of Design	Spec Section #
Corner Guards			
<b>CG-1</b>	Stainless Steel Corner Guard	Manufacturer: Pawling Style: CG-50 Size: 90mm Radius: Standard Finish: Satin Finish From top of base to 1370mm	10 26 23
<b>CG-2</b>	Stainless Steel Corner Guard	Manufacturer: Pawling Style: CG-50 Size: 90mm Radius: Standard Finish: Satin Finish From top of base to 2200mm	10 26 23
Specialty Items			
<b>LK-1</b>	Lockers - Corridors	Manufacturer: Shanahan's Type: Deluxe ST Size: as indicated on drawings Color: Body: 908 Black, Doors: 201 Gray	10 51 13
<b>LK-2</b>	Lockers Accessible – Corridors	Manufacturer: Shanahan's Type: Deluxe ST Size: as indicated on drawings Color: Body: 908 Black, Doors: 201 Gray	10 51 13
<b>TB-1 &amp; TB-2</b>	Tackboard	Manufacturer: Forbo Type: Bulletin Board Size: as indicated on drawings Color: 2162 Duck egg	10 11 00



Revised and Reissued by Addendum No.2

Abbreviations and Finishes			
	Description and/or Location	Basis of Design	Spec Section #
<b>RS-1M</b>	Standard Roller Shade 3% Openness	Manufacturer: Legrand Product: Solar Screen Housing Type: as indicated in specifications. Fabric: SheerWeave 2410, 80P0236, Oyster/Pearl Gray, 3% Openness Coordinating hembar	
<b>RS-2M</b>	Standard Blackout Blind 0% Openness	Manufacturer: Legrand Housing Type: as indicated in specifications. Fabric: SheerWeave 7000 Blackout, 80P0261, Canyon, 0% Openness Coordinating hembar	
<b>RS-3M</b>	Dual Roller Shade 3% and 0% Openness	Manufacturer: Legrand Housing Type: as indicated in specifications. Fabric 1: SheerWeave 2410, 80P0236, Oyster/Pearl Gray, 3% Openness Fabric 2: SheerWeave 7000 Blackout, 80P0261, Canyon, 0% Openness Coordinating hembar	

END OF SECTION